


3w LED BLADE EMERGENCY EXIT LIGHT

- Recessed Mount
- LifePo4 Battery
- 24m Viewing Distance
- 2 Piece Kit Consists of Blade Exit Light & Recess Mounting Bracket



SKU: R9996-R-WH

ADDITIONAL INFORMATION

Wattage	3W
Colour Temperature	5000K – DL
IP Rating	IP20
CRI	>70
Fixture Colour	White
Voltage	220 – 240V
Frequency	50 – 60Hz
LED Type	SMD 2835
Working Temperature	0°C~+60°C
Cutout	410mm x 75mm
Viewing Distance	24m
Function	Manual Test







Battery Type	LiFePO4 6.4V600mAh
Battery Charge Duration	24Hr
Emergency Run Time	120mins
Discharge Duration	3Hr
Power Factor	>0.3
Product Dimensions	Recess Mounting Bracket – 459mm (L) x 102mm (W) x 65mm (H) LED Blade – 345mm (L) x 11.50mm (W) x 156mm (H) Overall Dimensions – 459mm (L) x 102mm (W) x 221mm (H)
Product Materials	Housing : Flame Retardant Polycarbonate
Mounting Options	Surface Recessed
Fitting Protections Classification	Class I
AS2293 Emergency Classification	C0 : E4 C90 : D2
Included Emergency Decals	Standard Running Man Running Man with Left Arrow Running Man with Right Arrow
Warranty	5 Years (2 Years Replacement & Labour / 3 Years Replacement Only) (Battery – 2 Years Only)





SMARTSPARKY

POWERED BY  RAPID LED



SCALE 0.200

